

ATWINC15X0

Wi-Fi Add-on Component

Release Notes

All information contained in these materials, including products and product specifications, represents information on the product at the time of publication and is subject to change by RELOC s.r.l. without notice.

Outline

| | | |
|--------|--------------------------------------------------------------|----|
| 1. | Introduction..... | 5 |
| 1.1. | Description..... | 5 |
| 2. | Synergy Wi-Fi framework add-on release notes..... | 5 |
| 2.1. | ATWINC15X0 Wi-Fi add-on component release 1.2.0-b.15..... | 5 |
| 2.1.1 | Release information..... | 5 |
| 2.1.2 | Release package supported APIs and functionalities..... | 5 |
| 2.2. | ATWINC15X0 Wi-Fi add-on component release 1.2.0-b.16..... | 6 |
| 2.2.1 | Release information..... | 6 |
| 2.2.2 | Release package supported APIs and functionalities..... | 6 |
| 2.3. | ATWINC15X0 Wi-Fi add-on component release 1.2.0-b.17..... | 6 |
| 2.3.1 | Release information..... | 6 |
| 2.3.2 | Release package supported APIs and functionalities..... | 7 |
| 2.4. | ATWINC15X0 Wi-Fi add-on component release 1.2.0..... | 7 |
| 2.4.1 | Release information..... | 7 |
| 2.4.2 | Release package supported APIs and functionalities..... | 8 |
| 2.5. | ATWINC15X0 Wi-Fi add-on component release 1.3.0..... | 8 |
| 2.5.1 | Release information..... | 8 |
| 2.5.2 | Release package supported APIs and functionalities..... | 8 |
| 2.6. | ATWINC15X0 Wi-Fi add-on component release 1.3.2..... | 9 |
| 2.6.1 | Release information..... | 9 |
| 2.6.2 | Release package supported APIs and functionalities..... | 9 |
| 2.7. | ATWINC15X0 Wi-Fi add-on component release 1.3.2-update1..... | 10 |
| 2.7.1 | Release information..... | 10 |
| 2.7.2 | Release package supported APIs and functionalities..... | 10 |
| 2.8. | ATWINC15X0 Wi-Fi add-on component release 1.3.2-update2..... | 11 |
| 2.8.1 | Release information..... | 11 |
| 2.8.2 | Release package supported APIs and functionalities..... | 11 |
| 2.9. | ATWINC15X0 Wi-Fi add-on component release 1.3.2-update3..... | 12 |
| 2.9.1 | Release information..... | 12 |
| 2.9.2 | Release package supported APIs and functionalities..... | 12 |
| 2.10. | ATWINC15X0 Wi-Fi add-on component release 1.3.2-update4..... | 13 |
| 2.10.1 | Release information..... | 13 |
| 2.10.2 | Release package supported APIs and functionalities..... | 13 |
| 2.11. | ATWINC15X0 Wi-Fi add-on component release 1.4.0..... | 14 |

| | | |
|--------|---------------------------------------------------------------|----|
| 2.11.1 | Release information | 14 |
| 2.11.2 | Release package supported APIs and functionalities | 14 |
| 2.12. | ATWINC15X0 Wi-Fi add-on component release 1.4.0-update2 | 15 |
| 2.12.1 | Release information | 15 |
| 2.12.2 | Release package supported APIs and functionalities | 15 |
| 2.13. | ATWINC15X0 Wi-Fi add-on component release 1.5.0-rc.1 | 16 |
| 2.13.1 | Release information | 16 |
| 2.13.2 | Release package supported APIs and functionalities | 16 |
| 2.14. | ATWINC15X0 Wi-Fi add-on component release 1.5.0 | 17 |
| 2.14.1 | Release information | 17 |
| 2.14.2 | Release package supported APIs and functionalities | 17 |

Revisions

| REVISION | DATE | DESCRIPTION | STATUS | AUTHOR | REVISER |
|----------|------------|-------------------------------------------------------------------------------------------|---------|----------------|----------|
| 0.1 | 16/05/2017 | Document created | draft | A. Ricci | |
| 0.2 | 23/06/2017 | Add-on component release 1.2.0 added | draft | A. Ricci | |
| 0.3 | 08/09/2017 | Add-on component release 1.3.0 added | release | A. Ricci | |
| 0.4 | 12/12/2017 | Add-on component release 1.3.2 added | release | C. Tagliaferri | A. Ricci |
| 0.5 | 11/01/2018 | Add-on component release 1.3.2-update1 added | release | C. Tagliaferri | |
| 0.6 | 06/03/2018 | Add-on component release 1.3.2-update2 added | release | C. Tagliaferri | |
| 0.7 | 27/03/2018 | Add-on component release 1.3.2-update3 added | release | C. Tagliaferri | |
| 1.0 | 10/04/2018 | Add-on component release 1.3.2-update4 added Add-on component release 1.4.0 added | release | C. Tagliaferri | A. Ricci |
| 1.1 | 24/07/2018 | Add-on component release 1.4.2-update2 added Add-on component release 1.5.0-rc.1 added | release | C. Tagliaferri | |
| 1.2 | 03/10/2018 | Add-on component release 1.5.0 added | release | C. Tagliaferri | A. Ricci |

Disclaimer

All rights strictly reserved. Reproduction in any form is not permitted without written authorization from RELOC s.r.l.

| | |
|---------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| RELOC s.r.l. Strada Langhirano, 264/3A 43124 – Parma (Italy) | info@reloc.it www.reloc.it Land +39-0521-649116 |
|---------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|

1. Introduction

1.1. Description

This document describes the release notes for the SSP WiFi Add-On Framework software for ATWINC1500 module.

2. Synergy Wi-Fi framework add-on release notes

2.1. ATWINC15X0 Wi-Fi add-on component release 1.2.0-b.15

2.1.1 Release information

| | |
|-------------------------------------------------|--------------|
| ATWINC1500 Wi-Fi Add-on component | 1.2.0-b.15 |
| Compatible with Wi-Fi Framework Add-on versions | 1.0.0-b.3 |
| Compatible with SSP versions | 1.2.0 |
| Release Date | May 12, 2017 |

2.1.2 Release package supported APIs and functionalities

2.1.2.1 Synergy Wi-Fi Framework with NetX

Supported API list

| | |
|---------------------------|---------------|
| - open | supported |
| - close | NOT supported |
| - multicastListAdd | NOT supported |
| - multicastListDelete | NOT supported |
| - statisticsGet | supported |
| - transmit | supported |
| - provisioningSet | supported |
| o Station mode | supported |
| o AP mode | NOT supported |
| - provisioningGet | supported |
| - infoGet | supported |
| - scan | NOT supported |
| - accessControlListAdd | NOT supported |
| - accessControlListDelete | NOT supported |
| - macAddressGet | NOT supported |
| - macAddressSet | supported |
| - versionGet | supported |

Additional notes

Wi-Fi module SSP add-on instantiates an internal thread required for low-level Wi-Fi communication management. Internal thread stack is allocated by means of a static buffer.

2.1.2.2 BSD socket API

Not supported.

2.2. ATWINC15X0 Wi-Fi add-on component release 1.2.0-b.16

2.2.1 Release information

| | |
|-------------------------------------------------|--------------|
| ATWINC1500 Wi-Fi Add-on component | 1.2.0-b.16 |
| Compatible with Wi-Fi Framework Add-on versions | 1.0.0-b.3 |
| Compatible with SSP versions | 1.2.0 |
| Release Date | May 15, 2017 |

2.2.2 Release package supported APIs and functionalities

2.2.2.1 Synergy Wi-Fi Framework with NetX

Supported API list

| | |
|---------------------------|---------------|
| - open | supported |
| - close | supported |
| - multicastListAdd | NOT supported |
| - multicastListDelete | NOT supported |
| - statisticsGet | supported |
| - transmit | supported |
| - provisioningSet | supported |
| o Station mode | supported |
| o AP mode | NOT supported |
| - provisioningGet | supported |
| - infoGet | supported |
| - scan | NOT supported |
| - accessControlListAdd | NOT supported |
| - accessControlListDelete | NOT supported |
| - macAddressGet | supported |
| - macAddressSet | supported |
| - versionGet | supported |

Additional notes

Wi-Fi module SSP add-on instantiates an internal thread required for low-level Wi-Fi communication management. Internal thread stack is dynamically allocated. Stack size is defined by means of module parameter.

2.3. ATWINC15X0 Wi-Fi add-on component release 1.2.0-b.17

2.3.1 Release information

| | |
|-----------------------------------|------------|
| ATWINC1500 Wi-Fi Add-on component | 1.2.0-b.17 |
|-----------------------------------|------------|

| | |
|-------------------------------------------------|---------------|
| Compatible with Wi-Fi Framework Add-on versions | 1.0.0-b.3 |
| Compatible with SSP versions | 1.2.0 |
| Release Date | Jun. 23, 2017 |

2.3.2 Release package supported APIs and functionalities

2.3.2.1 Synergy Wi-Fi Framework with NetX

Supported API list

| | |
|-----------------------|---------------|
| - open | supported |
| - close | supported |
| - multicastListAdd | NOT supported |
| - multicastListDelete | NOT supported |
| - statisticsGet | supported |
| - transmit | supported |
| - provisioningSet | supported |
| o Station mode | supported |
| o AP mode | NOT supported |
| - provisioningGet | supported |
| - infoGet | supported |
| - scan | NOT supported |
| - ACLAdd | NOT supported |
| - ACLDelete | NOT supported |
| - macAddressGet | supported |
| - macAddressSet | supported |
| - versionGet | supported |

Additional notes

ATWINC1500 Wi-Fi add-on component release 1.2.0-b.17 is included into release 1.2.0 installer.

Respect to previous release, 1.2.0-b.16 version introduces support for ACLAdd and ACLDelete APIs (replacing accessControlListAdd and accessControlListDelete) in order to match official NSAL release.

2.3.2.2 BSD socket API

NOT supported.

2.4. ATWINC15X0 Wi-Fi add-on component release 1.2.0

2.4.1 Release information

| | |
|-------------------------------------------------|---------------|
| ATWINC1500 Wi-Fi Add-on component | 1.2.0 |
| Compatible with Wi-Fi Framework Add-on versions | 1.0.0 |
| Compatible with SSP versions | 1.2.1 |
| Release Date | Jun. 23, 2017 |

2.4.2 Release package supported APIs and functionalities

2.4.2.1 Synergy Wi-Fi Framework with NetX

Supported API list

| | |
|-----------------------|---------------|
| - open | supported |
| - close | supported |
| - multicastListAdd | NOT supported |
| - multicastListDelete | NOT supported |
| - statisticsGet | supported |
| - transmit | supported |
| - provisioningSet | supported |
| o Station mode | supported |
| o AP mode | supported |
| - provisioningGet | supported |
| - infoGet | supported |
| - scan | supported |
| - ACLAdd | NOT supported |
| - ACLDelete | NOT supported |
| - macAddressGet | supported |
| - macAddressSet | supported |
| - versionGet | supported |

Additional notes

ATWINC1500 Wi-Fi add-on component release 1.2.0 introduces support for SSP 1.2.1.

2.4.2.2 BSD socket API

NOT supported.

2.5. ATWINC15X0 Wi-Fi add-on component release 1.3.0

2.5.1 Release information

| | |
|-------------------------------------------------|---------------|
| ATWINC1500 Wi-Fi Add-on component | 1.3.0 |
| Compatible with Wi-Fi Framework Add-on versions | 1.3.0 |
| Compatible with SSP versions | 1.3.0 |
| Release Date | Sep. 08, 2017 |

2.5.2 Release package supported APIs and functionalities

2.5.2.1 Synergy Wi-Fi Framework with NetX

Supported API list

| | |
|---------|-----------|
| - open | supported |
| - close | supported |

- multicastListAdd NOT supported
- multicastListDelete NOT supported
- statisticsGet supported
- transmit supported
- provisioningSet supported
- o Station mode supported
- o AP mode supported
- provisioningGet supported
- infoGet supported
- scan supported
- ACLAdd NOT supported
- ACLDelete NOT supported
- macAddressGet supported
- macAddressSet supported
- versionGet supported

Additional notes

ATWINC1500 Wi-Fi add-on component release 1.3.0 introduces support for SSP 1.3.0. Compatibility with previous SSP 1.2.x has been removed.

2.5.2.2 BSD socket API

NOT supported.

2.6. ATWINC15X0 Wi-Fi add-on component release 1.3.2

2.6.1 Release information

| | |
|-------------------------------------------------|---------------|
| ATWINC1500 Wi-Fi Add-on component | 1.3.2 |
| Compatible with Wi-Fi Framework Add-on versions | 1.3.x |
| Compatible with SSP versions | 1.3.x |
| Release Date | Dec. 12, 2017 |

Important notices for this release:

Existing projects (even based on ATWINC15X0 Wi-Fi add-on release 1.3.0-update1) may not migrate seamlessly to the newer 1.3.2 pack file since there are substantial changes in the modules internal naming that may break compatibility. Users are strongly advised to back up their existing projects before migrating to latest pack versions, or simply start from a newly designed project.

2.6.2 Release package supported APIs and functionalities

2.6.2.1 Synergy Wi-Fi Framework with NetX

Supported API list

- open supported
- close supported

- multicastListAdd NOT supported
- multicastListDelete NOT supported
- statisticsGet supported
- transmit supported
- provisioningSet supported
- o Station mode supported
- o AP mode supported
- provisioningGet supported
- infoGet supported
- scan supported
- ACLAdd NOT supported
- ACLDelete NOT supported
- macAddressGet supported
- macAddressSet supported
- versionGet supported

Additional notes

ATWINC1500 Wi-Fi add-on component release 1.3.2 supports SSP 1.3.x.

Compatibility with previous SSP 1.2.x has been removed.

2.6.2.2 BSD socket API

ATWINC1500 Wi-Fi add-on component release 1.3.2 supports BSD socket APIs.

Socket APIs provide an interface to the application to make use of BSD Socket APIs. When the application uses these APIs, it is using the on-chip networking stack present on the WiFi chipset, and is not using NSAL (or the networking stack running on the Synergy MCU).

2.7. ATWINC15X0 Wi-Fi add-on component release 1.3.2-update1

2.7.1 Release information

| | |
|-------------------------------------------------|---------------|
| ATWINC1500 Wi-Fi Add-on component | 1.3.2-update1 |
| Compatible with Wi-Fi Framework Add-on versions | 1.3.x |
| Compatible with SSP versions | 1.3.x |
| Release Date | Jan. 11, 2018 |

Fixed switch between different WiFi modes (station and AP).

2.7.2 Release package supported APIs and functionalities

2.7.2.1 Synergy Wi-Fi Framework with NetX

Supported API list

- open supported

- close supported
- multicastListAdd NOT supported
- multicastListDelete NOT supported
- statisticsGet supported
- transmit supported
- provisioningSet supported
- o Station mode supported
- o AP mode supported
- provisioningGet supported
- infoGet supported
- scan supported
- ACLAdd NOT supported
- ACLDelete NOT supported
- macAddressGet supported
- macAddressSet supported
- versionGet supported

2.7.2.2 BSD socket API

ATWINC1500 Wi-Fi add-on component release 1.3.2-update1 supports BSD socket APIs.

Socket APIs provide an interface to the application to make use of BSD Socket APIs. When the application uses these APIs, it is using the on-chip networking stack present on the WiFi chipset, and is not using NSAL (or the networking stack running on the Synergy MCU).

2.8. ATWINC15X0 Wi-Fi add-on component release 1.3.2-update2

2.8.1 Release information

| | |
|-------------------------------------------------|---------------|
| ATWINC1500 Wi-Fi Add-on component | 1.3.2-update2 |
| Compatible with Wi-Fi Framework Add-on versions | 1.3.x |
| Compatible with SSP versions | 1.3.x |
| Release Date | Mar. 6, 2018 |

Removed blocking loop into bus wrapper in case of error.

Removed forever timeouts, APIs timeouts are now configurable using the configurator.xml .

2.8.2 Release package supported APIs and functionalities

2.8.2.1 Synergy Wi-Fi Framework with NetX

Supported API list

- open supported
- close supported
- multicastListAdd NOT supported
- multicastListDelete NOT supported
- statisticsGet supported

- transmit supported
- provisioningSet supported
 - o Station mode supported
 - o AP mode supported
- provisioningGet supported
- infoGet supported
- scan supported
- ACLAdd NOT supported
- ACLDelete NOT supported
- macAddressGet supported
- macAddressSet supported
- versionGet supported

2.8.2.2 BSD socket API

ATWINC1500 Wi-Fi add-on component release 1.3.2-update2 supports BSD socket APIs.

Socket APIs provide an interface to the application to make use of BSD Socket APIs. When the application uses these APIs, it is using the on-chip networking stack present on the WiFi chipset, and is not using NSAL (or the networking stack running on the Synergy MCU).

2.9. ATWINC15X0 Wi-Fi add-on component release 1.3.2-update3

2.9.1 Release information

| | |
|-------------------------------------------------|---------------|
| ATWINC1500 Wi-Fi Add-on component | 1.3.2-update3 |
| Compatible with Wi-Fi Framework Add-on versions | 1.3.x |
| Compatible with SSP versions | 1.3.x |
| Release Date | Mar. 27, 2018 |

Various fixes in the close API.

SPI Framework was opened twice, fixed.

2.9.2 Release package supported APIs and functionalities

2.9.2.1 Synergy Wi-Fi Framework with NetX

Supported API list

- open supported
- close supported
- multicastListAdd NOT supported
- multicastListDelete NOT supported
- statisticsGet supported
- transmit supported
- provisioningSet supported
 - o Station mode supported
 - o AP mode supported

- provisioningGet supported
- infoGet supported
- scan supported
- ACLAdd NOT supported
- ACLDelete NOT supported
- macAddressGet supported
- macAddressSet supported
- versionGet supported

2.9.2.2 BSD socket API

ATWINC1500 Wi-Fi add-on component release 1.3.2-update3 supports BSD socket APIs.

Socket APIs provide an interface to the application to make use of BSD Socket APIs. When the application uses these APIs, it is using the on-chip networking stack present on the WiFi chipset, and is not using NSAL (or the networking stack running on the Synergy MCU).

2.10. ATWINC15X0 Wi-Fi add-on component release 1.3.2-update4

2.10.1 Release information

| | |
|-------------------------------------------------|---------------|
| ATWINC1500 Wi-Fi Add-on component | 1.3.2-update4 |
| Compatible with Wi-Fi Framework Add-on versions | 1.3.x |
| Compatible with SSP versions | 1.3.x |
| Release Date | Mar. 27, 2018 |

Change list

- Diversified close behavior depending on the current mode.

2.10.2 Release package supported APIs and functionalities

2.10.2.1 Synergy Wi-Fi Framework with NetX

Supported API list

- open supported
- close supported
- multicastListAdd NOT supported
- multicastListDelete NOT supported
- statisticsGet supported
- transmit supported
- provisioningSet supported
 - o Station mode supported
 - o AP mode supported
- provisioningGet supported
- infoGet supported
- scan supported
- ACLAdd NOT supported

- ACLDelete NOT supported
- macAddressGet supported
- macAddressSet supported
- versionGet supported

2.10.2.2 BSD socket API

ATWINC1500 Wi-Fi add-on component release 1.3.2-update4 supports BSD socket APIs.

Socket APIs provide an interface to the application to make use of BSD Socket APIs. When the application uses these APIs, it is using the on-chip networking stack present on the WiFi chipset, and is not using NSAL (or the networking stack running on the Synergy MCU).

2.11. ATWINC15X0 Wi-Fi add-on component release 1.4.0

2.11.1 Release information

| | |
|-------------------------------------------------|---------------|
| ATWINC1500 Wi-Fi Add-on component | 1.4.0 |
| Compatible with Wi-Fi Framework Add-on versions | 1.4.0 |
| Compatible with SSP versions | 1.4.0 |
| Release Date | Apr. 10, 2018 |

Change list

- Upgrade of pack configuration files to 1.4.0 release.

2.11.2 Release package supported APIs and functionalities

2.11.2.1 Synergy Wi-Fi Framework with NetX

Supported API list

- open supported
- close supported
- multicastListAdd NOT supported
- multicastListDelete NOT supported
- statisticsGet supported
- transmit supported
- provisioningSet supported
 - o Station mode supported
 - o AP mode supported
- provisioningGet supported
- infoGet supported
- scan supported
- ACLAdd NOT supported
- ACLDelete NOT supported
- macAddressGet supported
- macAddressSet supported
- versionGet supported

2.11.2.2 BSD socket API

ATWINC1500 Wi-Fi add-on component release 1.4.0 supports BSD socket APIs.

Socket APIs provide an interface to the application to make use of BSD Socket APIs. When the application uses these APIs, it is using the on-chip networking stack present on the WiFi chipset, and is not using NSAL (or the networking stack running on the Synergy MCU).

2.12. ATWINC15X0 Wi-Fi add-on component release 1.4.0-update2

2.12.1 Release information

| | |
|-------------------------------------------------|---------------|
| ATWINC1500 Wi-Fi Add-on component | 1.4.0-update2 |
| Compatible with Wi-Fi Framework Add-on versions | 1.4.x |
| Compatible with SSP versions | 1.4.x |
| Release Date | July 20, 2018 |

Change list

- Added an internal transmission queue with configurable depth. This queue will be used when:
 - o the bus is busy for a time longer than the configured timeout;
 - o the preemption is disabled (for example during a ping command).
- Fixed an IAR compiler incompatibility.

2.12.2 Release package supported APIs and functionalities

2.12.2.1 Synergy Wi-Fi Framework with NetX

Supported API list

- | | |
|-----------------------|---------------|
| - open | supported |
| - close | supported |
| - multicastListAdd | NOT supported |
| - multicastListDelete | NOT supported |
| - statisticsGet | supported |
| - transmit | supported |
| - provisioningSet | supported |
| o Station mode | supported |
| o AP mode | supported |
| - provisioningGet | supported |
| - infoGet | supported |
| - scan | supported |
| - ACLAdd | NOT supported |
| - ACLDelete | NOT supported |
| - macAddressGet | supported |
| - macAddressSet | supported |
| - versionGet | supported |

2.12.2.2 BSD socket API

ATWINC1500 Wi-Fi add-on component release 1.4.0-update2 supports BSD socket APIs.

Socket APIs provide an interface to the application to make use of BSD Socket APIs. When the application uses these APIs, it is using the on-chip networking stack present on the WiFi chipset, and is not using NSAL (or the networking stack running on the Synergy MCU).

2.13. ATWINC15X0 Wi-Fi add-on component release 1.5.0-rc.1

2.13.1 Release information

| | |
|-------------------------------------------------|---------------|
| ATWINC1500 Wi-Fi Add-on component | 1.5.0-rc.1 |
| Compatible with Wi-Fi Framework Add-on versions | 1.5.x |
| Compatible with SSP versions | 1.5.x |
| Release Date | July 24, 2018 |

Change list

- Upgrade of pack configuration files from 1.4.0-update2 to 1.5.0-rc.1 release.

2.13.2 Release package supported APIs and functionalities

2.13.2.1 Synergy Wi-Fi Framework with NetX

Supported API list

| | |
|-----------------------|---------------|
| - open | supported |
| - close | supported |
| - multicastListAdd | NOT supported |
| - multicastListDelete | NOT supported |
| - statisticsGet | supported |
| - transmit | supported |
| - provisioningSet | supported |
| o Station mode | supported |
| o AP mode | supported |
| - provisioningGet | supported |
| - infoGet | supported |
| - scan | supported |
| - ACLAdd | NOT supported |
| - ACLDelete | NOT supported |
| - macAddressGet | supported |
| - macAddressSet | supported |
| - versionGet | supported |

2.13.2.2 BSD socket API

ATWINC1500 Wi-Fi add-on component release 1.5.0-rc.1 supports BSD socket APIs.

Socket APIs provide an interface to the application to make use of BSD Socket APIs. When the application uses these APIs, it is using the on-chip networking stack present on the WiFi chipset, and is not using NSAL (or the networking stack running on the Synergy MCU).

2.14. ATWINC15X0 Wi-Fi add-on component release 1.5.0

2.14.1 Release information

| | |
|-------------------------------------------------|-------------|
| ATWINC1500 Wi-Fi Add-on component | 1.5.0 |
| Compatible with Wi-Fi Framework Add-on versions | 1.5.x |
| Compatible with SSP versions | 1.5.x |
| Release Date | Oct 3, 2018 |

Change list

- Added multicastListAdd and multicastListDelete support.

2.14.2 Release package supported APIs and functionalities

2.14.2.1 Synergy Wi-Fi Framework with NetX

Supported API list

| | |
|-----------------------|---------------|
| - open | supported |
| - close | supported |
| - multicastListAdd | supported |
| - multicastListDelete | supported |
| - statisticsGet | supported |
| - transmit | supported |
| - provisioningSet | supported |
| o Station mode | supported |
| o AP mode | supported |
| - provisioningGet | supported |
| - infoGet | supported |
| - scan | supported |
| - ACLAdd | NOT supported |
| - ACLDelete | NOT supported |
| - macAddressGet | supported |
| - macAddressSet | supported |
| - versionGet | supported |

2.14.2.2 BSD socket API

ATWINC1500 Wi-Fi add-on component release 1.5.0 supports BSD socket APIs.

Socket APIs provide an interface to the application to make use of BSD Socket APIs. When the application uses these APIs, it is using the on-chip networking stack present on the WiFi chipset and is not using NSAL (or the networking stack running on the Synergy MCU).